

Lenovo ThinkVision M14t Gen 2(63FDUAT6WL)

Lenovo ThinkVision M14t Gen 2 - LED monitor - 14" - portable - touchscreen - 2240 x 1400 - IPS - 300 cd/m² - 1500:1 - 6 ms - 2xUSB-C - raven black



Crisp, colorful Lenovo ThinkVision monitors improve productivity, unleash creativity and limit eye strain - and they do it with all style, and some of the simplest and cleanest cable and connectivity options in the industry.

Key Selling Points

- 14-inch LED-backlit LCD monitor with 2240 x 1400 resolution for sharp, detailed visuals
- 100% sRGB color gamut and 16.7 million colors for vibrant, true-to-life images
- 10-point multi-touch screen enhances interactivity and productivity
- USB-C connectivity with Power Delivery up to 65 W simplifies setup and reduces cable clutter
- EPEAT Gold and ENERGY STAR certified for environmental sustainability

Product Features

Portable design

The Lenovo ThinkVision M14t Gen 2 stands out with its portable form factor, making it an ideal companion for professionals on the go. Its lightweight design and integrated cable management system ensure a clutter-free workspace, wherever you are.

Exceptional visual quality

Experience vivid image clarity and a wide spectrum of colors with the monitor's 14-inch, 2240 x 1400 resolution display. Boasting 100% sRGB color gamut coverage, 16.7 million colors, and WLED backlight technology, this monitor delivers stunning visuals for any content.

Enhanced productivity features

With features like 10-point multi-touch capability, height, pivot, and tilt adjustments, the Lenovo ThinkVision M14t Gen 2 enhances productivity. Its dynamic contrast ratio of 3000000:1, coupled with a 6 ms response time, ensures smooth and responsive usage, making it perfect for multitasking and interactive tasks.

Comprehensive connectivity

This monitor offers versatile connectivity options with its two USB-C ports supporting DisplayPort 1.2 and Power Delivery up to 65 W. This allows for easy connection to a variety of devices while keeping your workspace neat and organized.

Sustainability and safety

The Lenovo ThinkVision M14t Gen 2 is designed with sustainability in mind, evidenced by its EPEAT Gold certification and ENERGY STAR certification. Additionally, it meets several safety and environmental standards, including RoHS and Eyesafe certified 2.0, ensuring a reduced carbon footprint and a safer viewing experience.

Main Specifications

Product Description	Lenovo ThinkVision M14t Gen 2 - LED monitor - 14"
Device Type	LED-backlit LCD monitor - 14" - touchscreen
Energy Class	Class C
Features	USB 2.0/USB-C hub, USB PD 65 Watt
Panel Type	IPS
Aspect Ratio	16:10
Native Resolution	2240 x 1400
Pixel Pitch	0.1346 mm
Brightness	300 cd/m ²
Contrast Ratio	1500:1 / 3000000:1 (dynamic)

Response Time	6 ms (extreme), 8 ms (normal)
Colour Support	16.7 million colours
Colour Gamut	100% sRGB (CIE 1931) (coverage ratio), 100% sRGB (color area ratio)
Input Connectors	2xUSB-C
Display Position Adjustments	Height, pivot (rotation), tilt
Voltage	DC 5 - 20 V
Colour	Raven black
Dimensions (WxDxH) - with stand (lowest position)	31.48 cm x 9.67 cm x 22.43 cm
Weight	700 g
Environmental Standards	ENERGY STAR Qualified EPEAT Gold
Carbon Footprint	352 kg carbon emissions (EU)
Compliant Standards	RoHS 2011/65/EU, EU Energy Label, VOC, TUV Rheinland Low Blue Light (Hardware Solution), Eyesafe Certified 2.0
Manufacturer Warranty	3-year warranty

Extended Specification

General

Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Class	Class C
Diagonal Size	14"
Built-in Devices	USB 2.0/USB-C hub
USB Power Delivery	65 Watt
Panel Type	IPS
Aspect Ratio	16:10
Native Resolution	2240 x 1400
Pixel Pitch	0.1346 mm
Pixel Per Inch	189
Brightness	300 cd/m ²
Contrast Ratio	1500:1 / 3000000:1 (dynamic)
Colour Support	16.7 million colours
Colour Gamut	100% sRGB (CIE 1931) (coverage ratio), 100% sRGB (color area ratio)
Response Time	6 ms (extreme), 8 ms (normal)
Vertical Refresh Rate	60 Hz
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Backlight Technology	WLED
Features	Integrated cable management, 8-bit Colour Depth, Natural Low Blue Light technology, 6.1 mm bezel (top/side), 27.5 mm bezel (bottom)
Colour	Raven black
Dimensions (WxDxH)	31.48 cm x 9.67 cm x 22.43 cm - with stand (lowest position)
Weight	700 g

Manufacturer Warranty

Service & Support	Limited warranty - 3 years
-------------------	----------------------------

Miscellaneous

Features	Security lock slot (cable lock sold separately)
Included Accessories	Digital pen, clips, l-shape dongle, protect bag
Cables Included	1 x USB-C cable - 1 m

Compliant Standards	RoHS 2011/65/EU, EU Energy Label, VOC, TUV Rheinland Low Blue Light (Hardware Solution), Eyesafe Certified 2.0
Security Slot Type	Kensington security slot

Power

Input Voltage	DC 5 - 20 V
Power Consumption (Typical)	8 Watt
Power Consumption (Max)	9.5 Watt
Power Consumption Stand by	0.3 Watt
Power Consumption Sleep	0.3 Watt
Power Consumption (Off Mode)	0.3 Watt

Software / System Requirements

Included Software	Lenovo Display Control Center
OS Required	Windows 10, Windows 11

Environmental Parameters

Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	30 - 80%

Connectivity

Interfaces	2 x USB-C/DisplayPort 1.2 Alt Mode with Power Delivery (power up to 65W)
------------	--

Dimensions & Weight

Dimensions & Weight Details	With stand (highest position) - width: 31.48 cm - depth: 9.64 cm - height: 23.53 cm - weight: 700 g With stand (lowest position) - width: 31.48 cm - depth: 9.67 cm - height: 22.43 cm - weight: 700 g
-----------------------------	--

Dimensions & Weight (Shipping)

Shipping Width	38.4 cm
Shipping Depth	7.6 cm
Shipping Height	27.7 cm
Shipping Weight	1.9 kg

Input

Type	Touchscreen
------	-------------

Mechanical

Display Position Adjustments	Height, pivot (rotation), tilt
Tilt Angle	0/+90
Rotation Angle	-90/+90
Height Adjustment	11 mm
VESA Mounting Interface	100 x 100 mm

Sustainability Information

EPEAT Compliant	EPEAT Gold
ENERGY STAR Certified	Yes
Carbon Footprint	352 kg carbon emissions (EU)
Total CF/unit Standard Deviation (kg CO2e)	88
PAIA Version	1.4.0